


RD SHARMA

Solutions

Class 10 Maths

Chapter 1

Ex 1.1



Q.1: If a and b are two odd positive integers such that $a > b$, then prove that one of the two numbers $a+b$ $\frac{a+b}{2}$ and $a-b$ $\frac{a-b}{2}$ is odd and the other is even.

Sol:

Given: If a and b are two odd positive integers such that $a > b$.

To Prove: That one of the two numbers $a+b$ $\frac{a+b}{2}$ and $a-b$ $\frac{a-b}{2}$ is odd and the other is even.

Proof: Let a and b be any odd positive integer such that $a > b$. Since any positive integer is of the form q , $2q + 1$

Let, $a = 2q + 1$ and $b = 2m + 1$, where, q and m are some whole numbers

$$a+b \frac{a+b}{2} = (2q+1)+(2m+1) \frac{(2q+1)+(2m+1)}{2}$$

$$a+b \frac{a+b}{2} = 2((q+m)+1) \frac{2((q+m)+1)}{2}$$

$$a+b \frac{a+b}{2} = (q + m + 1) \text{ which is a positive integer.}$$

Also,

$$a-b \frac{a-b}{2} = (2q+1)-(2m+1) \frac{(2q+1)-(2m+1)}{2}$$

$$a-b \frac{a-b}{2} = 2(q-m) \frac{2(q-m)}{2}$$

$$a-b \frac{a-b}{2} = (q - m)$$

Given, $a > b$

$$2q + 1 > 2m + 1$$

$$2q > 2m$$

$$q > m$$

$$\text{Therefore, } a-b \frac{a-b}{2} = (q - m) > 0$$

Thus, $a-b$ $\frac{a-b}{2}$ is a positive integer.

Now we need to prove that one of the two numbers $a+b$ $\frac{a+b}{2}$ and $a-b$ $\frac{a-b}{2}$ is odd and other is even.

$$\text{Consider, } a+b \frac{a+b}{2} - a-b \frac{a-b}{2} = (a+b)-(a-b) \frac{(a+b)-(a-b)}{2} = 2b \frac{2b}{2} = b$$

Also, we know that from the proof above that $a+b \frac{a+b}{2}$ and $a-b \frac{a-b}{2}$ are positive integers.

We know that the difference of two integers is an odd number if one of them is odd and another is even. (Also, difference between two odd and two even integers is even)

Hence it is proved that if a and b are two odd positive integers is even.

Hence, it is proved that if a and b are two odd positive integers such that $a > b$ then one of the two number $a+b \frac{a+b}{2}$ and $a-b \frac{a-b}{2}$ is odd and the other is even.

Q.2: Prove that the product of two consecutive positive integers is divisible by 2.

Sol:

To Prove: that the product of two consecutive integers is divisible by 2.

Proof: Let $n - 1$ and n be two consecutive positive integers.

Then their product is $n(n - 1) = n^2 - n$

We know that every positive integer is of the form $2q$ or $2q + 1$ for some integer q .

So let $n = 2q$

$$\text{So, } n^2 - n = (2q)^2 - (2q)$$

$$n^2 - n = (2q)^2 - (2q)$$

$$n^2 - n = 4q^2 - 2q$$

$$n^2 - n = 2q(2q - 1)$$

$$n^2 - n = 2r \text{ [where } r = q(2q - 1)\text{]}$$

$n^2 - n$ is even and divisible by 2

Let $n = 2q + 1$

$$\text{So, } n^2 - n = (2q + 1)^2 - (2q + 1)$$

$$n^2 - n = (2q + 1)(2q + 1) - (2q + 1)$$

$$n^2 - n = (2q + 1)(2q)$$

$$n^2 - n = 2r \text{ [r = q(2q + 1)]}$$

$n^2 - n$ is even and divisible by 2

Hence it is proved that that the product of two consecutive integers is divisible by 2.

Q.3: Prove that the product of three consecutive positive integer is divisible by 6.

Sol:

To Prove: the product of three consecutive positive integers is divisible by 6.

Proof: Let n be any positive integer.

Since any positive integer is of the form $6q$ or $6q + 1$ or $6q + 2$ or $6q + 3$ or $6q + 4$, $6q + 5$.

If $n = 6q$,

$$n(n+1)(n+2) = 6q(6q+1)(6q+2), \text{ which is divisible by 6}$$

If $n = 6q + 1$

$$n(n+1)(n+2) = (6q+1)(6q+2)(6q+3)$$

$$n(n+1)(n+2) = 6(6q+1)(3q+1)(2q+1) \text{ Which is divisible by 6}$$

If $n = 6q + 2$

$$n(n+1)(n+2) = (6q+2)(6q+3)(6q+4)$$

$$n(n+1)(n+2) = 12(3q+1)(2q+1)(2q+3),$$

Which is divisible by 6.

Similarly we can prove others.

Hence it is proved that the product of three consecutive positive integers is divisible by 6.

Q.4: For any positive integer n , prove that $n^3 - n$ divisible by 6.

Sol:

To Prove: For any positive integer n , $n^3 - n$ is divisible by 6.

$$\text{Proof: Let } n \text{ be any positive integer. } n^3 - n = (n-1)(n)(n+1)$$

Since any positive integer is of the form $6q$ or $6q + 1$ or $6q + 2$ or $6q + 3$ or $6q + 4$, $6q + 5$

If $n = 6q$,

$$\text{Then, } (n-1)n(n+1) = (6q-1)6q(6q+1)$$

Which is divisible by 6

If $n = 6q + 1$,

Then, $(n - 1) n (n + 1) = (6q) (6q + 1) (6q + 2)$

Which is divisible by 6.

If $n = 6q + 2$,

Then, $(n - 1) n (n + 1) = (6q + 1) (6q + 2) (6q + 3)$

$(n - 1) n (n + 1) = 6 (6q + 1) (3q + 1) (2q + 1)$

Which is divisible by 6.

Similarly we can prove others.

Hence it is proved that for any positive integer n , $n^3 - n$ is divisible by 6.

Q.5: Prove that if a positive integer is of form $6q + 5$, then it is of the form $3q + 2$ for some integer q , but not conversely.

Sol:

To Prove: That if a positive integer is of the form $6q + 5$ then it is of the form $3q + 2$ for some integer q , but not conversely.

Proof: Let $n = 6q + 5$

Since any positive integer n is of the form of $3k$ or $3k + 1$, $3k + 2$

If $q = 3k$,

Then, $n = 6q + 5$

$n = 18k + 5$ ($q = 3k$)

$n = 3(6k + 1) + 2$

$n = 3m + 2$ (where $m = (6k + 1)$)

If $q = 3k + 1$,

Then, $n = (6q + 5)$

$n = (6(3k + 1) + 5)$ ($q = 3k + 1$)

$n = 18k + 6 + 5$

$n = 18k + 11$

$n = 3(6k + 3) + 2$

$$n = 3m + 2 \text{ (where } m = (6k + 3)\text{)}$$

$$\text{If } q = 3k + 2,$$

$$\text{Then, } n = (6q + 5)$$

$$n = (6(3k + 2) + 5) \quad (q = 3k + 2)$$

$$n = 18k + 12 + 5$$

$$n = 18k + 17$$

$$n = 3(6k + 5) + 2$$

$$n = 3m + 2 \text{ (where } m = (6k + 5)\text{)}$$

Consider here 8 which is the form $3q + 2$ i.e. $3 \times 2 + 2$ but it can't be written in the form $6q + 5$. Hence the converse is not true.

Q.6: Prove that square of any positive integer of the form $5q + 1$ is of same form.

Sol:

To Prove: That the square of a positive integer of the form $5q + 1$ is of the same form

Proof: Since positive integer n is of the form $5q + 1$

$$\text{If } n = 5q + 1$$

$$\text{Then } n^2 = (5q + 1)^2$$

$$n^2 = (5q)^2 + 2(1)(5q) + 1^2 = 25q^2 + 10q + 1$$

$$n^2 = 5m + 1 \text{ (where } m = (5q^2 + 2q)\text{)}$$

Hence n^2 integer is of the form $5m + 1$.

Q.7: Prove that the square of any positive integer is of the form $3m$ or $3m + 1$ but not of the form $3m + 2$.

Sol:

To Prove: that the square of an positive integer is of the form $3m$ or $3m + 1$ but not of the form $3m + 2$.

Proof: Since positive integer n is of the form of $3q$, $3q + 1$ and $3q + 2$

$$\text{If } n = 3q$$

$$n^2 = (3q)^2$$

$$n^2 = 9q^2$$

$$n^2 = 3(3q)^2$$

$$n^2 = 3m \text{ (where } m = 3q \text{)}$$

If $n = 3q + 1$

Then, $n^2 = (3q + 1)^2$

$$n^2 = (3q)^2 + 6q + 1$$

$$n^2 = 9q^2 + 6q + 1$$

$$n^2 = 3q(3q + 1) + 1$$

$$n^2 = 3m + 1 \text{ (where } m = (3q + 1) \text{)}$$

If $n = 3q + 2$

Then, $n^2 = (3q + 2)^2 = (3q)^2 + 12q + 4$

$$n^2 = 9q^2 + 12q + 4$$

$$n^2 = 3(3q + 4q + 1) + 1$$

$$n^2 = 3m + 1 \text{ (where } m = (3q + 4q + 1) \text{)}$$

Hence, n^2 integer is of the form $3m$, $3m + 1$ but not of the form $3m + 2$.

Q.8: Prove that the Square of any positive integer is of the form $4q$ or $4q + 1$ for some integer q .

Sol:

To Prove: that the square of any positive integer is of the form $4q$ or $4q + 1$ for some integer q . **Proof:** Since positive integer n is of the form of $2q$ or $2q + 1$

If $n = 2q$

Then, $n^2 = (2q)^2$

$$n^2 = 4q^2$$

$$n^2 = 4m \text{ (where } m = q^2 \text{)}$$

If $n = 2q + 1$

$$\text{Then, } n^2 = (2q + 1)^2$$

$$n^2 = (2q)^2 + 4q + 1$$

$$n^2 = 4q^2 + 4q + 1$$

$$n^2 = 4q(q + 1) + 1$$

$$n^2 = 4q + 1 \text{ (where } m = q(q + 1)\text{)}$$

Hence it is proved that the square of any positive integer is of the form $4q$ or $4q + 1$, for some integer q .

Q.9: Prove that the Square of any positive integer is of the form $5q$ or $5q + 1$, $5q + 4$ for some integer q .

Sol:

To Prove: that the square of any positive integer is of the form $5q$ or $5q + 1$, $5q + 4$ for some integer q .

Proof: Since positive integer n is of the form of $5q$ or $5q + 1$, $5q + 4$.

$$\text{If } n = 5q$$

$$\text{Then, } n^2 = (5q)^2$$

$$n^2 = 25q^2$$

$$n^2 = 5(5q)$$

$$n^2 = 5m \text{ (Where } m = 5q\text{)}$$

$$\text{If } n = 5q + 1$$

$$\text{Then, } n^2 = (5q + 1)^2$$

$$n^2 = (5q)^2 + 10q + 1$$

$$n^2 = 25q^2 + 10q + 1$$

$$n^2 = 5q(5q + 2) + 1$$

$$\text{It } n^2 = 5q(5q + 2) + 1$$

$$n^2 = 5m + 1 \text{ (where } m = q(5q + 2)\text{)}$$

$$\text{If } n = 5q + 2$$

$$\text{Then, } n^2 = (5q + 2)^2$$

$$n^2 = (5q)^2 + 20q + 4$$

$$n^2 = 25q^2 + 20q + 4$$

$$n^2 = 5q(5q + 4) + 4$$

$$n^2 = 5m + 4 \text{ (where } m = q(5q + 4)\text{)}$$

$$\text{If } n = 5q + 4$$

$$\text{Then, } n^2 = (5q + 4)^2$$

$$n^2 = (5q)^2 + 40q + 16$$

$$n^2 = 25q^2 + 40q + 16$$

$$n^2 = 5(5q^2 + 8q + 3) + 1$$

$$n^2 = 5m + 1 \text{ (where } m = 5q^2 + 8q + 3\text{)}$$

Hence it is proved that the square of any positive integer is of the form $5q$ or $5q + 1$, $5q + 4$ for some integer q .

Q.10: Show that the Square of odd integer is of the form $8q + 1$, for some integer q .

Sol:

To Prove: the square of any positive integer is of the form $8q + 1$ for some integer q .

Proof: Since any positive integer n is of the form $4m + 1$ and $4m + 3$

$$\text{If } n = 4m + 1$$

Then,

$$n^2 = (4m + 1)^2$$

$$n^2 = (4m)^2 + 8m + 1$$

$$n^2 = 16m^2 + 8m + 1$$

$$n^2 = 8m(2m + 1) + 1$$

$$n^2 = 8q + 1 \text{ (where } q = m(2m + 1)\text{)}$$

$$\text{If } n = 4m + 3$$

$$\text{Then, } n^2 = (4m + 3)^2$$

$$n^2 = (4m)^2 + 24m + 9$$

$$n^2 = 16m^2 + 24m + 9$$

$$n^2 = 8(2m^2 + 3m + 1) + 1$$

$$n^2 = 8q + 1 \text{ (where } q = (2m^2 + 3m + 1)\text{)}$$

Hence, n^2 integer is of the form $8q + 1$, for some integer q .

Q.11: Show that any positive odd integer is of the form $6q + 1$ or $6q + 3$ or $6q + 5$, where q is some integer.

Sol:

To Show: That any positive odd integer is of the form $6q + 1$ or $6q + 3$ or $6q + 5$ where q is any some integer.

Proof: Let 'a' be any odd positive integer and $b = 6$.

Then, there exists integers q and r such that $a = 6q + r$, $0 \leq r < 6$ (by division algorithm)

$$a = 6q \text{ or } 6q + 1 \text{ or } 6q + 2 \text{ or } 6q + 3 \text{ or } 6q + 4$$

But $6q$ or $6q + 2$ or $6q + 4$ are even positive integers.

$$\text{So, } a = 6q + 1 \text{ or } 6q + 3 \text{ or } 6q + 5$$

Hence it is proved that any positive odd integer is of the form $6q + 1$ or $6q + 3$ or $6q + 5$, where q is any some integer.