
6

LINES AND ANGLES

EXERCISE 6.1

(Given)

Q.1. In the figure lines AB and CD intersect at O. If $\angle AOC + \angle BOE = 70^{\circ}$ and $\angle BOD = 40^{\circ}$, find $\angle BOE$ and reflex $\angle COE$.



...(1)

...(2)

Sol. Lines AB and CD intersect at O.

$$\angle AOC + \angle BOE = 70^{\circ}$$

$$\angle BOD = 40^{\circ}$$
 (Given)

Since,
$$\angle AOC = \angle BOD$$

(Vertically opposite angles)

Therefore,
$$\angle AOC = 40^{\circ}$$
 [From (2)]

and
$$40^{\circ} + \angle BOE = 70^{\circ}$$
 [From (1)]

$$\Rightarrow$$
 $\angle BOE = 70^{\circ} - 40^{\circ} = 30^{\circ}$

Also,
$$\angle AOC + \angle BOE + \angle COE = 180^{\circ}$$
 (: AOB is a straight line)


$$\Rightarrow 70^{\circ} + \angle COE = 180^{\circ} \quad [Form (1)]$$

$$\Rightarrow$$
 $\angle COE = 180^{\circ} - 70^{\circ} = 110^{\circ}$

Now, reflex
$$\angle COE = 360^{\circ} - 110^{\circ} = 250^{\circ}$$

Hence, $\angle BOE = 30^{\circ}$ and reflex $\angle COE = 250^{\circ}$ Ans

Q.2. In the figure, lines XY and MN intersect at O. If $\angle POY = 90^{\circ}$ and a:b=2:3, find c.



Sol. In the figure, lines XY and MN intersect at O and \angle POY = 90°.

Also, given
$$a:b=2:3$$

Let
$$a = 2x$$
 and $b = 3x$.

Since,
$$\angle XOM + \angle POM + \angle POY = 180^{\circ}$$

(Linear pair axiom)

$$\Rightarrow$$
 3x + 2x + 90° = 180°

$$\Rightarrow 5x = 180^{\circ} - 90^{\circ}$$

$$\Rightarrow \qquad x = \frac{90^{\circ}}{5} = 18^{\circ}$$

$$\angle XOM = b = 3x = 3 \times 18^{\circ} = 54^{\circ}$$

and
$$\angle POM = a = 2x = 2 \times 18^{\circ} = 36^{\circ}$$


Now,
$$\angle XON = c = \angle MOY = \angle POM + \angle POY$$

(Vertically opposite angles)


$$= 36^{\circ} + 90^{\circ} = 126^{\circ}$$

Hence, $c = 126^{\circ}$ Ans.

٠.



Q.3. In the figure, $\angle PQR = \angle PRQ$, then prove that $\angle PQS = \angle PRT$.



Sol.
$$\angle PQS + \angle PQR = 180^{\circ}$$
 ...(1)

(Linear pair axiom)


$$\angle$$
PRQ + \angle PRT = 180° ...(2)

(Linear pair axiom)


But,
$$\angle PQR = \angle PRQ$$
 (Given)

∴ From (1) and (2)

 $\angle PQS = \angle PRT$ **Proved.**



Q.4. In the figure, if x + y = w + z, then prove that AOB is a line.



Sol. Assume AOB is a line.

Therefore,
$$x + y = 180^{\circ}$$
 ...(1)

[Linear pair axiom]


$$w + z = 180^{\circ}$$
 ...(2)

[Linear pair axiom]

Now, from (1) and (2)


$$x + y = w + z$$

Hence, our assumption is correct, AOB is a line **Proved.**



Q.5. In the figure, POQ is a line. Ray OR is perpendicular to line PQ. OS is another ray lying between rays OP and OR. Prove that

$$\angle ROS = \frac{1}{2} (\angle QOS - \angle POS)$$



Sol. $\angle ROS = \angle ROP - \angle POS$...(1)

and
$$\angle ROS = \angle QOS - \angle QOR$$
 ...(2)

Adding (1) and (2),

$$\angle ROS + \angle ROS = \angle QOS - \angle QOR$$

$$2\angle ROS = \angle QOS - \angle POS (\because \angle QOR = \angle ROP = 90^\circ)$$

$$\Rightarrow$$
 $\angle ROS = \frac{1}{2} (\angle QOS - \angle POS)$ **Proved.**

- **Q.6.** It is given that $\angle XYZ = 64^{\circ}$ and XY is produced to point P. Draw a figure from the given information. If ray YQ bisects $\angle ZYP$, find $\angle XYQ$ and reflex $\angle QYP$.
- Sol. From figure,

$$\angle XYZ = 64^{\circ}$$
 (Given)

Now, $\angle ZYP + \angle XYZ = 180^{\circ}$

(Linear pair axiom)



$$\Rightarrow$$
 $\angle ZYP = 180^{\circ} - 64^{\circ} - 116^{\circ}$

Also, given that ray YQ bisects ∠ZYP.

But, $\angle ZYP = \angle QYP \angle QYZ = 116^{\circ}$

Therefore, $\angle QYP = 58^{\circ}$ and $\angle QYZ = 58^{\circ}$

Also, $\angle XYQ = \angle XYZ + \angle QYZ$

 $\Rightarrow \qquad \angle XYQ = 64^{\circ} + 58^{\circ} = 122^{\circ}$

and reflex $\angle QYP = 360^{\circ} - \angle QYP = 360^{\circ} - 58^{\circ} = 302^{\circ}$ (: $\angle QYP = 58^{\circ}$)

Hence, $\angle XYQ = 122^{\circ}$ and reflex $\angle QYP = 302^{\circ}$ Ans.

6

LINES AND ANGLES


EXERCISE 6.2


- **Q.1.** In the figure, find the values of x and y and then show that $AB \parallel CD$.
- **Sol.** In the given figure, a transversal intersects two lines AB and CD such that

$$x + 50^{\circ} = 180^{\circ}$$
 (Linear pair axiom)
 $\Rightarrow x = 180^{\circ} - 50^{\circ}$
 $= 130^{\circ}$
 $y = 130^{\circ}$ (Vertically opposite angles)

Therefore, $\angle x = \angle y = 130^{\circ}$ (Alternate angles)

AB || CD (Converse of alternate angles axiom) **Proved.**





- **Q.2.** In the figure, if AB || CD, CD || EF and y: z = 3: 7, find x.
- **Sol.** In the given figure, AB || CD, CD || EF and y : z = 3 : 7.

Let
$$y = 3a$$
 and $z = 7a$

$$\angle DHI = y$$
 (vertically opposite angles)

$$\angle DHI + \angle FIH = 180^{\circ}$$

(Interior angles on the same side of the transversal)

$$\Rightarrow$$
 $y + z = 180^{\circ}$

$$\Rightarrow$$
 3a + 7a = 180°

$$\Rightarrow$$
 10a = 180° \Rightarrow a = 18°


$$\therefore y = 3 \times 18^{\circ} = 54^{\circ} \text{ and } z = 18^{\circ} \times 7 = 126^{\circ}$$


Also,
$$x + y = 180^{\circ}$$

$$\Rightarrow \qquad x + 54^{\circ} = 180^{\circ}$$


$$\therefore$$
 $x = 180^{\circ} - 54^{\circ} = 126^{\circ}$

Hence, $x = 126^{\circ}$ Ans.





Q.3. In the figure, if $AB \mid\mid CD, EF \perp CD$ and $\angle GED = 126^{\circ}$. Find $\angle AGE, \angle GEF$ and $\angle FGE$.



Sol. In the given figure, AB || CD, EF \perp CD and \angle GED = 126°

$$\angle AGE = \angle LGE$$
 (Alternate angle)


Now,
$$\angle GEF = \angle GED - \angle DEF$$


= $126^{\circ} - 90^{\circ} = 36^{\circ} (\because \angle DEF = 90^{\circ})$

Also,
$$\angle AGE + \angle FGE = 180^{\circ}$$
 (Linear pair axiom)

$$\Rightarrow$$
126° + FGE = 180°

$$\Rightarrow$$
 $\angle FGE = 180^{\circ} - 126^{\circ} = 54^{\circ}$





130°

110°

110°

Sol. Extend PQ to Y and draw LM || ST through R.

$$\angle TSX = \angle QXS$$

[Alternate angles]

$$\Rightarrow$$
 $\angle QXS = 130^{\circ}$

$$\angle QXS + \angle RXQ = 180^{\circ}$$

[Linear pair axiom]

$$\Rightarrow \angle RXQ = 180^{\circ} - 130^{\circ} = 50^{\circ}$$
 ...(1)

$$\angle PQR = \angle QRM$$
 [Alternate angles]


$$\Rightarrow$$
 $\angle QRM = 110^{\circ}$...(2)

$$\angle RXQ = \angle XRM$$
 [Alternate angles]

$$\Rightarrow \angle XRM = 50^{\circ}$$

$$\angle QRS = \angle QRM - \angle XRM$$

$$= 110^{\circ} - 50^{\circ} = 60^{\circ}$$
 Ans.



- **Q.5.** In the figure, if $AB \mid\mid CD$, $\angle APQ = 50^{\circ}$ and $\angle PRD = 127^{\circ}$, find x and y.
- **Sol.** In the given figure, AB || CD, \angle APQ = 50° and \angle PRD = 127°

$$\angle APQ + \angle PQC = 180^{\circ}$$

[Pair of consecutive interior angles are supplementary]

$$\Rightarrow$$
 50° + \angle PQC = 180°

$$\Rightarrow$$
 $\angle PQC = 180^{\circ} - 50^{\circ} = 130^{\circ}$

Now,
$$\angle PQC + \angle PQR = 180^{\circ}$$
 [Linear pair axiom]

$$\Rightarrow$$
 130° + $x = 180°$

$$\Rightarrow \qquad x = 180^{\circ} - 130^{\circ} = 50^{\circ}$$

Also,
$$x + y = 127^{\circ}$$
 [Exterior angle of a triangle is equal to the sum of the two interior opposite angles]


$$\Rightarrow$$
 50° + ν = 127°

$$\Rightarrow \qquad \qquad y = 127^{\circ} - 50^{\circ} = 77^{\circ}$$

Hence,
$$x = 50^{\circ}$$
 and $y = 77^{\circ}$ Ans.



Q.6. In the figure, PQ and RS are two mirrors placed parallel to each other. An incident ray AB strikes the mirror PQ at B, the reflected ray moves along the path BC and strikes the mirror RS at C and again reflects back along CD. Prove that AB || CD.




Sol. At point B, draw BE \perp PQ and at point C, draw CF \perp RS.

 $\Rightarrow \angle 1 + \angle 2 = \angle 3 + \angle 4$

$$\angle 1 = \angle 2$$
 ...(i)

(Angle of incidence is equal to angle of reflection)



[From (i) and (ii)]


$$\angle 3 = \angle 4$$
 ...(ii) [Same reason]
Also, $\angle 2 = \angle 3$... (iii) [Alternate angles]
 $\Rightarrow \angle 1 = \angle 4$ [From (i), (ii), and (iii)]
 $\Rightarrow 2\angle 1 = 2\angle 4$
 $\Rightarrow \angle 1 + \angle 1 = \angle 4 + \angle 4$

 \Rightarrow \angle BCD = \angle ABC Hence, AB || CD. [Alternate angles are equal] **Proved.**

LINES AND ANGLES

EXERCISE 6.3

Q.1. In the figure, sides QP and RQ of $\triangle PQR$ are produced to points S and T respectively. If $\angle SPR = 135^{\circ}$ and $\angle PQT = 110^{\circ}$, find $\angle PRQ$.



Sol. In the given figure, $\angle SPR = 135^{\circ}$ and $\angle PQT = 110^{\circ}$.

$$\angle PQT + \angle PQR = 180^{\circ}$$

[Linear pair axiom]

$$\Rightarrow$$
 110° + \angle PQR = 180°

$$\Rightarrow$$
 $\angle PQR = 180^{\circ} - 110^{\circ} = 70^{\circ}$

Also,
$$\angle SPR + \angle QPR = 180^{\circ}$$

[Linear pair axiom]

$$\Rightarrow$$
 135° + \angle QPR = 180°

$$\Rightarrow$$
 $\angle QPS = 180^{\circ} - 135^{\circ} = 45^{\circ}$

Now, in the triangle PQR

$$\angle$$
PQR + \angle PRQ + \angle QPR = 180°

[Angle sum property of a triangle]


$$\Rightarrow$$
 70° + \angle PRQ + 45° = 180°

$$\Rightarrow$$
 $\angle PRQ + 115^{\circ} = 180^{\circ}$

$$\Rightarrow$$
 $\angle PRQ = 180^{\circ} - 115^{\circ} = 65^{\circ}$

Hence, $\angle PRQ = 65^{\circ}$ Ans.

Q.2. In the figure, $\angle X = 62^{\circ}$, $\angle XYZ = 54^{\circ}$. If YO and ZO are the bisectors of $\angle XYZ$ and $\angle XZY$ respectively of $\triangle XYZ$, find $\angle OZY$ and $\angle YOZ$.



135°

Sol. In the given figure,

$$\angle X = 62^{\circ}$$
 and $\angle XYZ = 54^{\circ}$.

$$\angle XYZ + \angle XZY + \angle YXZ = 180^{\circ}$$
 ...(i)

[Angle sum property of a triangle]

$$\Rightarrow$$
 54° + \angle XZY + 62° = 180°

$$\Rightarrow$$
 $\angle XZY + 116^{\circ} = 180^{\circ}$

$$\Rightarrow \qquad \angle XZY = 180^{\circ} - 116^{\circ} = 64^{\circ}$$

 $\angle OZY = \frac{1}{2} \times \angle XZY$ [∵ZO is bisector of ∠XZY] Now, $=\frac{1}{2} \times 64^{\circ} = 32^{\circ}$

Similarly,
$$\angle OYZ = \frac{1}{2} \times 54^{\circ} = 27^{\circ}$$


Now, in $\triangle OYZ$, we have

$$\Rightarrow$$
 27° + 32° + \angle YOZ = 180°

$$\Rightarrow \angle YOZ = 180^{\circ} - 59^{\circ} = 121^{\circ}$$

Hence, $\angle OZY = 32^{\circ}$ and $\angle YOZ = 121^{\circ}$ Ans.

Q.3. In the figure, if $AB \parallel DE$, $\angle BAC = 35^{\circ}$ and $\angle CDE = 53^{\circ}$, find $\angle DCE$.



√35°

Sol. In the given figure

[Alternate angles]

$$\Rightarrow$$
 $\angle CED = 35^{\circ}$

In ΔCDE,


$$\angle CDE + \angle DCE + \angle CED = 180^{\circ}$$
 [Angle sum property of a triangle]


$$\Rightarrow$$
 53° + \angle DCE + 35° = 180°

$$\Rightarrow$$
 $\angle DCE + 88^{\circ} = 180^{\circ}$

$$\Rightarrow$$
 $\angle DCE = 180^{\circ} - 88^{\circ} = 92^{\circ}$

Hence, $\angle DCE = 92^{\circ}$ Ans.





In ΔPRT

$$\angle PRT + \angle RPT + \angle PTR = 180^{\circ}$$

[Angle sum property of a triangle]


$$\Rightarrow$$
 40° + 95° + \angle PTR = 180°

$$\Rightarrow$$
 135° + \angle PTR = 180°

$$\Rightarrow$$
 $\angle PTR = 180^{\circ} - 135^{\circ} = 45^{\circ}$

Also,
$$\angle PTR = \angle STQ$$

$$\therefore$$
 \angle STQ = 45°




[Vertical opposite angles]


Now, in Δ STQ,

$$\angle STQ + \angle TSQ + \angle SQT = 180^{\circ}$$
 [Angle sum property of a triangle]
 $\Rightarrow 45^{\circ} + 75^{\circ} + \angle SQT = 180^{\circ}$
 $\Rightarrow 120^{\circ} + \angle SQT = 180^{\circ}$

$$\Rightarrow \qquad \angle SQT = 180^{\circ} - 120^{\circ} = 60^{\circ}$$

Hence, $\angle SQT = 60^{\circ}$ Ans.





$$\angle PQR = \angle QRT$$
 [Alternate angles]

$$\Rightarrow x + 28^{\circ} = 65^{\circ}$$

$$\Rightarrow$$
 $x = 65^{\circ} - 28^{\circ} = 37^{\circ}$

In ΔPQS,


$$\angle SPQ + \angle PQS + \angle QSP = 180^{\circ}$$
 [Angle sum property of a triangle]
 $\Rightarrow 90^{\circ} + 37^{\circ} + y = 180^{\circ}$

$$[\because PQ \perp PS, \angle PQS = x = 37^{\circ} \text{ and } \angle QSP = y)$$

$$\Rightarrow$$
 127° + $y = 180$ °

$$\Rightarrow \qquad \qquad y = 180^{\circ} - 127^{\circ} = 53^{\circ}$$

Hence, $x = 37^{\circ}$ and $y = 53^{\circ}$ Ans.



Q.6. In the figure, the side
$$QR$$
 of ΔPQR is produced to a point S . If the bisectors of $\angle PQR$ and $\angle PRS$


meet at point T, then prove that $\angle QTR = \frac{1}{2} \angle QPR$.

Sol. Exterior
$$\angle PRS = \angle PQR + \angle QPR$$

[Exterior angle property]

Therefore,
$$\frac{1}{2} \angle PRS = \frac{1}{2} \angle PQR + \frac{1}{2} \angle QPR$$

$$\Rightarrow \qquad \angle TRS = \angle TQR + \frac{1}{2} \angle QPR$$



But in $\triangle QTR$,

Exterior
$$\angle TRS = \angle TQR + \angle QTR$$

...(ii)

[Exterior angles property]

Therefore, from (i) and (ii)

$$\angle TQR + \angle QTR = \angle TQR + \frac{1}{2} \angle QPR$$

$$\Rightarrow \qquad \angle QTR = \frac{1}{2} \angle QPR$$

Proved.